

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020087894".pn. and handheld	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/15 15:55
L2	0	"20020087894".pn. and hand-held	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/15 15:55
L3	1	"20020087894".pn. and palm adj pilot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/15 15:56
L4	1	"20020087894".pn. and certificate\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/15 15:56
S1	46	(select\$3 or pick\$3 or choos\$3) near2 authenticat\$3 near2 (method or type) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 16:06
S2	0	"6052468".pn. and (dialog or text or box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 13:24
S3	27	(customi\$4 or indicat\$4) near2 authenticat\$3 near2 (method or type) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 13:50
S4	30	(specif\$3) near2 authenticat\$3 near2 (method or type) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 13:50

S5	16	(specify or specifies or specifying) near2 authenticat\$3 near2 (method or type) and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 15:24
S6	24	"5276444".pn. "5475758".pn. "5638448".pn. "5740361".pn. "5784566".pn. "6006228".pn. "6055512".pn. "6055570".pn. "6108583".pn. "6148402".pn. "6154777".pn. "6160903".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 14:21
S7	5	S6 and authentication near4 (method or type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 14:24
S8	0	S6 and authentication near4 (function) not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 14:24
S9	0	S6 and authentication near4 (process) not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 14:24
S10	8	(select\$3 or pick\$3 or choos\$3) near2 authenticat\$3 near2 (process) and @ad<"20010103" not S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 14:27
S11	0	"5950195".pn. and register\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 15:24
S12	1	"5950195".pn. and (sav\$3 or record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 15:26

S13	2	"6668327".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 15:55
S14	1	"20020087894".pn. and (dialog with box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 18:15
S15	98	register\$3 with authentication near2 method and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 16:55
S16	0	register\$3 with authentication near2 method same again and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 16:55
S17	9	register\$3 near2 authentication near2 method and @ad<"20010103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 16:56
S18	2	"20020087894".pn. and register\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 17:00
S19	1	S14 and minimum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/02 18:15